

# ISO CLEAN PULITORE

## Detergent for stucco and marmorini

### DESCRIPTION

Iso Clean Cleaner Isocolor<sup>®</sup> is a special eco-friendly formulation for the cleansing of marmorini and fillers already treated with natural protectors.

It is ideal for cleaning surfaces made of Iso Classic Isocolor<sup>®</sup>, Iso Classic Superlucido Isocolor<sup>®</sup>, Iso Botticino Isocolor<sup>®</sup>, Iso Decor Isocolor<sup>®</sup>, and generally for all lime-based supports.

### FIELDS OF USE

Iso Clean Pulitore Isocolor<sup>®</sup> is applicable on all lime-based finishes only if treated with natural protectors.

### FEATURES AND ADVANTAGES

Iso Clean Pulitore Isocolor<sup>®</sup>:

- cleans effectively without damaging the surface;
- is ready to use and easy to apply;
- is eco-friendly.

### METHOD OF USE

The application temperature must be between 10 and 30°C and the relative humidity must be less than 85% even in the 24 hours following the application.

In case of dusty supports it is recommended to dust them before using Iso Clean Pulitore.

The product is ready to use and should be mixed well before use.

Apply Iso Clean Pulitore with a soft sponge and circularly scrub small parts of surface at a time.

Rinse with a clean soft sponge and dry with a clean dry cloth.

Once cleaned, on a dry wall, it is recommended to apply a coat of Iso Cera Isocolor<sup>®</sup>.

### TECHNICAL FEATURES

Package	0,5 Lt
Appearance	White and dense liquid
Dilution	Ready to use
Specific weight	1,30 ± 0,05 Kg/Lt
pH	8,0 - 9,0
Theoretical consumption (yield)	0,03 ÷ 0,04 Kg/m <sup>2</sup> (13-16 m <sup>2</sup> with a package of 0,5 Lt)

## STORAGE AND SECURITY

Iso Clean Pulitore Isocolor<sup>®</sup> is stored for at least 24 months in the original packaging tightly closed and protected from excessive heat and cold. Keep in a cool and dry place and at temperatures between 5 and 30°C.

Consult the safety data sheet before use.

### IMPORTANT

This product is formulated to be used as in the above application. The addition of any other product compromises the final result of the surface. All the information contained in this sheet is based on the best practical and laboratory experiences. It is the customer's responsibility to verify that the product is suitable for the intended use. The manufacturer declines all responsibility for the results of incorrect applications. It is advisable to always carry out tests on small surfaces before application. The data can be changed at any time. This data sheet replaces and cancels previous data sheets. It is essential that the technical and safety data sheets of the other products mentioned in this data sheet are also consulted. Product intended for professional use.